APPENDIX E — SCIENTIFIC REFERENCES REGARDING ENVIRONMENTAL EFFECTS OF RF/EMF

Balmori, A. (2009). Electromagnetic pollution from phone masts: Effects on wildlife. *Pathophysiology*, *16*(2–3), 191–199. https://doi.org/10.1016/j.pathophys.2009.01.007

Balmori, A. (2010). The incidence of electromagnetic pollution on wild mammals: A new "poison" with a slow effect on nature? *The Environmentalist*, *30,* 90–97. https://doi.org/10.1007/s10669-009-9249-7

Balmori, A. (2014). Electrosmog and species conservation. *Science of the Total Environment*, 496, 314–316. https://doi.org/10.1016/j.scitotenv.2014.07.061

Balmori, A. (2015). Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation. *Science of the Total Environment*, 518–519, 58–60. https://doi.org/10.1016/j.scitotenv.2015.02.077

Balmori, A. (2016). Radiotelemetry and wildlife: Highlighting a gap in the knowledge on radiofrequency radiation effects. *Science of the Total Environment*, 543, 662–669. https://doi.org/10.1016/j.scitotenv.2015.11.073

Balmori, A. (2021). Electromagnetic radiation as an emerging driver factor for the decline of insects. *Science of the Total Environment*, 767, Article 144913. https://doi.org/10.1016/j.scitotenv.2020.144913

Cucurachi, S., Tamis, W. L. M., Vijver, M. G., Peijnenburg, W. J. G. M., Bolte, J. F. B., & de Snoo, G. R. (2013). A review of the ecological effects of radiofrequency electromagnetic fields (RF-EMF). *Environment International*, 51, 116–140. https://doi.org/10.1016/j.envint.2012.10.0091

Froidevaux, J. S. P., Recuero Virto, L., Czerwiński, M., Thielens, A., & Park, K. J. (2024). Addressing wildlife exposure to radiofrequency electromagnetic fields: Time for action. *Environmental Science & Technology Letters,* 11(1), 3–4. https://doi.org/10.1021/acs.estlett.3c00795

Levitt, B. B., Lai, H. C., & Manville, A. M., II. (2022a). Effects of non-ionizing electromagnetic fields on flora and fauna, Part 1: Rising ambient EMF levels in the environment. *Reviews on Environmental Health*, 37(1), 81–122. https://doi.org/10.1515/reveh-2021-0026

Levitt, B. B., Lai, H. C., & Manville, A. M., II. (2022b). Effects of non-ionizing electromagnetic fields on flora and fauna, Part 2: Impacts—How species interact with natural and man-made EMF. *Reviews on Environmental Health*, 37(3), 327–406. https://doi.org/10.1515/reveh-2021-0050

Levitt, B. B., Lai, H. C., & Manville, A. M., II. (2022c). Effects of non-ionizing electromagnetic fields on flora and fauna, Part 3: Exposure standards, public policy, laws, and future directions. *Reviews on Environmental Health*, 37(4), 531–558. https://doi.org/10.1515/reveh-2021-0083

Levitt, B. B., Lai, H. C., & Manville, A. M., II. (2022c). Low-level EMF effects on wildlife and plants: What research tells us about an ecosystem approach. *Frontiers in Public Health*, 10, Article 1000840. https://doi.org/10.3389/fpubh.2022.1000840

Sivani, S., & Sudarsanam, D. (2012). Impacts of radio-frequency electromagnetic field (RF-EMF) from cell phone towers and wireless devices on biosystem and ecosystem—A review. *Biology and Medicine*, 4(4), 202–216.

BIRDS

Augustianath, T., Evans, D. A., & Anisha, G. S. (2023). Teratogenic effects of radiofrequency electromagnetic radiation on the embryonic development of chick: A study on morphology and hatchability. *Research in Veterinary Science*, *159*, 93–100. https://doi.org/10.1016/j.rvsc.2023.04.015

Balmori, A. (2005). Possible effects of electromagnetic fields from phone masts on a population of white stork (Ciconia ciconia). *Electromagnetic Biology and Medicine, 24*(2), 109–119. https://doi.org/10.1080/15368370500205472

Balmori, A., & Hallberg, Ö. (2007). The urban decline of the house sparrow (Passer domesticus): A possible link with electromagnetic radiation. *Electromagnetic Biology and Medicine*, *26*(2), 141–151. https://doi.org/10.1080/15368370701410558

Balmori, A. (2022). Corneal opacity in Northern Bald Ibises (Geronticus eremita) equipped with radio transmitters. *Electromagnetic Biology and Medicine*, *41*(2), 174–176. https://doi.org/10.1080/15368378.2022.2046046

Engels, S., Schneider, N. L., Lefeldt, N., Hein, C. M., Zapka, M., Michalik, A., Elbers, D., Kittel, A., Hore, P. J., & Mouritsen, H. (2014). Anthropogenic electromagnetic noise disrupts magnetic compass orientation in a migratory bird. *Nature, 509*, 353–356. https://doi.org/10.1038/nature13290

Everaert, J., & Bauwens, D. (2007). A possible effect of electromagnetic radiation from mobile phone base stations on the number of breeding house sparrows (Passer domesticus). *Electromagnetic Biology and Medicine, 26*(1), 63–72. https://doi.org/10.1080/15368370701205693

Fernie, K. J., & Bird, D. M. (2001). Evidence of oxidative stress in American kestrels exposed to electromagnetic fields. *Environmental Research*, *86*(2), 198–207. https://doi.org/10.1006/enrs.2001.4263

Fernie, K. J., & Reynolds, S. J. (2005). The effects of electromagnetic fields from power lines on avian reproductive biology and physiology: A review. *Journal of Toxicology and Environmental Health*, *Part B: Critical Reviews*, *8*(2), 127–140. https://doi.org/10.1080/10937400590909022

Islam, M. S., Islam, M. M., Rahman, M. M., & Islam, K. (2023). 4G mobile phone radiation alters some immunogenic and vascular gene expressions, and gross and microscopic and biochemical parameters in the chick embryo model. *Veterinary Medicine and Science*, *9*(6), 2648–2659. https://doi.org/10.1002/vms3.1273

Leberecht, B., Wong, S. Y., Satish, B., Döge, S., Hindman, J., Venkatraman, L., Apte, S., Haase, K., Musielak, I., Dautaj, G., Solov'yov, I. A., Winklhofer, M., Mouritsen, H., & Hore, P. J. (2023). Upper bound for broadband radiofrequency field disruption of magnetic compass orientation in night-migratory songbirds. *Proceedings of the National Academy of Sciences of the United States of America, 120*(28), Article e2301153120. https://doi.org/10.1073/pnas.2301153120

Muheim, R., & Phillips, J. B. (2023). Effects of low-level RF fields reveal complex pattern of magnetic input to the avian magnetic compass. *Scientific Reports, 13*(1), Article 19970. https://doi.org/10.1038/s41598-023-46547-5

Schwarze, S., Schneider, N.-L., Reichl, T., Dreyer, D., Lefeldt, N., Engels, S., Baker, N., Hore, P. J., & Mouritsen, H. (2016). Weak broadband electromagnetic fields are more disruptive to magnetic compass orientation in a night-migratory songbird (Erithacus rubecula) than strong narrow-band fields. *Frontiers in Behavioral Neuroscience*, *10*, Article 50. https://doi.org/10.3389/fnbeh.2016.00050

Sheridan, E., Randolet, J., DeVault, T. L., Seamans, T. W., Blackwell, B. F., & Fernández-Juricic, E. (2015). The effects of radar on avian behavior: Implications for wildlife management at airports. *Applied Animal Behaviour Science, 171,* 241–252. https://doi.org/10.1016/j.applanim.2015.08.001

Shende, V. A., & Patil, K. G. (2015). Electromagnetic radiations: A possible impact on population of house sparrow (Passer domesticus). *Engineering International, 3*(1), 45–52. https://doi.org/10.18034/ei.v3i1.198

Surendran, N. S., Siddiqui, N. A., Mondal, P., & Nandan, A. (2020). Repercussion of electromagnetic radiation from cell towers/mobiles and their impact on migratory birds. In Advances in air pollution profiling and control (pp. 193–202). *Springer.* https://doi.org/10.1007/978-981-15-0954-4_12

Tonelli, B. A., Youngflesh, C., & Tingley, M. W. (2023). Geomagnetic disturbance associated with increased vagrancy in migratory landbirds. *Scientific Reports, 13*, Article 414. https://doi.org/10.1038/s41598-022-26586-0

Wiltschko, R., Thalau, P., Gehring, D., Nießner, C., Ritz, T., & Wiltschko, W. (2015). Magnetoreception in birds: The effect of radio-frequency fields. *Journal of the Royal Society Interface, 12*(103), Article 20141103. https://doi.org/10.1098/rsif.2014.1103

INSECTS

Adelaja, O. J., Ande, A. T., Abdulraheem, G. D., Oluwakorode, I. A., Oladipo, O. A., & Oluwajobi, A. O. (2021). Distribution, diversity and abundance of some insects around a telecommunication mast in Ilorin, Kwara State, Nigeria. *Bulletin of the National Research Centre, 45,* Article 222. https://doi.org/10.1186/s42269-021-00683-y

Balmori, A. (2021). Electromagnetic radiation as an emerging driver factor for the decline of insects. *Science of the Total Environment, 767*, Article 144913. https://doi.org/10.1016/j.scitotenv.2020.144913

Borre, E. D., Joseph, W., Aminzadeh, R., Müller, P., Boone, M. N., Josipovic, I., Hashemizadeh, S., Kuster, N., Kühn, S., & Thielens, A. (2021). Radio-frequency exposure of the yellow fever mosquito (Aedes aegypti) from 2 to 240 GHz. *PLOS Computational Biology, 17*(10), Article e1009460. https://doi.org/10.1371/journal.pcbi.1009460

Cappucci, U., Casale, A. M., Proietti, M., Marinelli, F., Giuliani, L., & Piacentini, L. (2022). Wi-Fi related radiofrequency electromagnetic fields promote transposable element dysregulation and genomic instability in Drosophila melanogaster. *Cells, 11*(24), Article 4036. https://doi.org/10.3390/cells11244036

De Paepe, S., De Borre, E., Toribio Carvajal, D., Bell, D., & Thielens, A. (2023). Pilot study of a new methodology to study the development of the blue bottle fly (Calliphora vomitoria) under exposure to radio-frequency electromagnetic fields at 5.4 GHz. I*nternational Journal of Radiation Biology, 99*(9), 1439–1455. https://doi.org/10.1080/09553002.2022.2113838

Favre, D. (2011). Mobile phone-induced honeybee worker piping. Apidologie, 42(3), 270–279. https://doi.org/10.1007/s13592-011-0016-x

Fedele, G., Edwards, M. D., Bhutani, S., Hares, J. M., Murbach, M., Green, E. W., Dissel, S., Hastings, M. H., Rosato, E., & Kyriacou, C. P. (2014). Genetic analysis of circadian responses to low frequency electromagnetic fields in Drosophila melanogaster. *PLOS Genetics, 10*(12), Article e1004804. https://doi.org/10.1371/journal.pgen.1004804

Jeladze, A., Thielens, A., Nozadze, G., Korkotadze, B., Partsvania, B., & Zaridze, R. (2023). *Estimation of the specific absorption rate for a honey bee exposed to radiofrequency electromagnetic fields from 2.5 to 100 GHz.* In 2023 IEEE XXVIII International Seminar/Workshop on Direct and Inverse Problems of Electromagnetic and Acoustic Wave Theory (DIPED) (pp. 180–185). IEEE. https://doi.org/10.1109/DIPED59722.2023.10269454

Lázaro, A., Chroni, A., Tscheulin, T., Devalez, J., Matsoukas, C., & Petanidou, T. (2016). Electromagnetic radiation of mobile telecommunication antennas affects the abundance and composition of wild pollinators. *Journal of Insect Conservation, 20*(2), 315–324. https://doi.org/10.1007/s10841-016-9868-8

Lee, K.-S., Choi, J.-S., Hong, S.-Y., Son, T.-H., & Yu, K. (2008). Mobile phone electromagnetic radiation activates MAPK signaling and regulates viability in Drosophila. *Bioelectromagnetics, 29*(5), 371–379. https://doi.org/10.1002/bem.20395

Li, S.-S., Zhang, Z.-Y., Yang, C.-J., Lian, H.-Y., & Cai, P. (2013). Gene expression and reproductive abilities of male Drosophila melanogaster subjected to ELF-EMF exposure. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis, 758*(1–2), 95–103. https://doi.org/10.1016/j.mrgentox.2013.10.004

Lopatina, N. G., Zachepilo, T. G., Kamyshev, N. G., Dyuzhikova, N. A., & Serov, I. N. (2019). Effect of non-ionizing electromagnetic radiation on behavior of the honeybee, Apis mellifera L. (Hymenoptera, Apidae). *Entomological Review, 99*(1), 24–29. https://doi.org/10.1134/S0013873819010032

Lupi, D., Palamara Mesiano, M., Adani, A., Benocci, R., Giacchini, R., Parenti, P., Zambon, G., Lavazza, A., Boniotti, M. B., Bassi, S., Colombo, M., & Tremolada, P. (2021). Combined effects of pesticides and electromagnetic-fields on honeybees: Multi-stress exposure. *Insects, 12*(8), Article 716. https://doi.org/10.3390/insects12080716

Manta, A. K., Papadopoulou, D., Polyzos, A. P., Fragopoulou, A. F., Skouroliakou, A. S., Thanos, D., Stravopodis, D. J., & Margaritis, L. H. (2017). Mobile-phone radiation-induced perturbation of gene-expression profiling, redox equilibrium and sporadic-apoptosis control in the ovary of Drosophila melanogaster. *Fly, 11*(2), 75–95. https://doi.org/10.1080/19336934.2016.1270487

Mahmoud, E. A., & Gabarty, A. (2021). Impact of electromagnetic radiation on honey stomach ultrastructure and the body chemical element composition of Apis mellifera. *African Entomology, 29*(1), 32–41. https://doi.org/10.4001/003.029.0032

Migdał, P., Berbeć, E., Bieńkowski, P., Plotnik, M., Murawska, A., & Latarowski, K. (2022). Exposure to magnetic fields changes the behavioral pattern in honeybees (Apis mellifera L.) under laboratory conditions. *Animals, 12*(7), Article 855. https://doi.org/10.3390/ani12070855

Migdał, P., Bieńkowski, P., Cebrat, M., Berbeć, E., Plotnik, M., Murawska, A., Sobkiewicz, P., Łaszkiewicz, A., & Latarowski, K. (2023). Exposure to a 900 MHz electromagnetic field induces a response of the honey bee organism on the level of enzyme activity and the expression of stress-related genes. *PLOS ONE, 18*(5), Article e0285522. https://doi.org/10.1371/journal.pone.0285522

Molina-Montenegro, M. A., Acuña-Rodríguez, I. S., Ballesteros, G. I., Baldelomar, M., Torres-Díaz, C., Broitman, B. R., & Vázquez, D. P. (2023). Electromagnetic fields disrupt the pollination service by honeybees. *Science Advances, 9*(19), Article eadh1455. https://doi.org/10.1126/sciadv.adh1455

Nikita, Grover, A., Kalia, P., Sinha, R., & Garg, P. (2022). Colony collapse disorder: A peril to apiculture. *Journal of Applied and Natural Science, 14*(3), 729–739. https://doi.org/10.31018/jans.v14i3.3502

Odemer, R., & Odemer, F. (2019). Effects of radiofrequency electromagnetic radiation (RF-EMF) on honey bee queen development and mating success. *Science of the Total Environment, 661*, 553–562. https://doi.org/10.1016/j.scitotenv.2019.01.154

Panagopoulos, D. J. (2012). Effect of microwave exposure on the ovarian development of Drosophila melanogaster. *Cell Biochemistry and Biophysics, 63*(2), 121–132. https://doi.org/10.1007/s12013-012-9347-0

Panagopoulos, D. J., Karabarbounis, A., & Liolioussis, C. (2013). ELF alternating magnetic field decreases reproduction by DNA damage induction. *Cell Biochemistry and Biophysics, 67*(2), 703–716. https://doi.org/10.1007/s12013-013-9560-5

Panagopoulos, D. J., Karabarbounis, A., & Margaritis, L. H. (2004). Effect of GSM 900-MHz mobile phone radiation on the reproductive capacity of Drosophila melanogaster. *Electromagnetic Biology and Medicine, 23*(1), 29–43. https://doi.org/10.1081/JBC-120039350

Reategui-Inga, M., Morales Rojas, E., Tineo, D., Araníbar-Araníbar, M. J., Alva Valdiviezo, W., Aguirre Escalante, C., & Ruiz Castre, S. J. (2023). Effects of artificial electromagnetic fields on bees: A global review. *Pakistan Journal of Biological Sciences, 26,* 23–32. https://doi.org/10.3923/pjbs.2023.23.32

Santhosh Kumar, S. (2018). Colony collapse disorder (CCD) in honey bees caused by EMF radiation. *Bioinformation, 14*(9), 421–424. https://doi.org/10.6026/97320630014521

Thielens, A., Bell, D., Mortimore, D. B., Greco, M. K., Martens, L., & Joseph, W. (2018). Exposure of insects to radio-frequency electromagnetic fields from 2 to 120 GHz. *Scientific Reports, 8,* Article 3924. https://doi.org/10.1038/s41598-018-22271-3

Thielens, A., Greco, M. K., Verloock, L., Martens, L., & Joseph, W. (2020). Radio-frequency electromagnetic field exposure of Western honey bees. *Scientific Reports, 10,* Article 461. https://doi.org/10.1038/s41598-019-56948-0

Thill, A., Cammaerts, M.-C., & Balmori, A. (2024). Biological effects of electromagnetic fields on insects: A systematic review and meta-analysis. *Reviews on Environmental Health, 39*(4), 853–869. https://doi.org/10.1515/reveh-2023-0072

Wang, Y., Jiang, Z., Zhang, L., Zhang, Z., Liao, Y., & Cai, P. (2022). 3.5-GHz radiofrequency electromagnetic radiation promotes the development of Drosophila melanogaster. *Environmental Pollution, 294,* Article 118646. https://doi.org/10.1016/j.envpol.2021.118646

Wang, Y., Zhang, H., Zhang, Z., Sun, B., Tang, C., Zhang, L., Jiang, Z., Ding, B., Liao, Y., & Cai, P. (2021). Simulated mobile communication frequencies (3.5 GHz) emitted by a signal generator affects the sleep of Drosophila melanogaster. *Environmental Pollution, 283,* Article 117087. https://doi.org/10.1016/j.envpol.2021.117087

Wyszkowska, J., Maliszewska, J., & Gas, P. (2023). Metabolic and developmental changes in insects as stress-related response to electromagnetic field exposure. *Applied Sciences, 13*(17), Article 9893. https://doi.org/10.3390/app13179893

Wyszkowska, J., Kobak, J., & Aonuma, H. (2023). Electromagnetic field exposure affects the calling song, phonotaxis, and level of biogenic amines in crickets. *Environmental Science and Pollution Research*. https://doi.org/10.1007/s11356-023-28981-0

PLANTS & TREES

Abdelhaliem, E. M., Abdalla, H. M., Bolbol, A. A., & Shehata, R. S. (2022). Assessment of protein and DNA polymorphisms in corn (Zea mays) under the effect of non-ionizing electromagnetic radiation. *Caryologia, 75*(4). https://doi.org/10.36253/caryologia-1716

Balodis, V., Brumelis, G., Kalviškis, K., Nikodemus, O., Tjarve, D., & Znotiņa, V. (1996). Does the Skrunda Radio Location Station diminish the radial growth of pine trees? *Science of the Total Environment, 180*(1), 57–64. https://doi.org/10.1016/0048-9697(95)04920-7

Czerwiński, M., Januszkiewicz, Ł., Vian, A., & Lázaro, A. (2020). The influence of bioactive mobile telephony radiation at the level of a plant community: Possible mechanisms and indicators of the effects. *Ecological Indicators, 108,* Article 105683. https://doi.org/10.1016/j.ecolind.2019.105683

Czerwiński, M., Vian, A., Woodcock, B. A., Goliński, P., Recuero Virto, L., & Januszkiewicz, Ł. (2023). Do electromagnetic fields used in telecommunications affect wild plant species? A control impact study conducted in the field. *Ecological Indicators, 150*, Article 110267. https://doi.org/10.1016/j.ecolind.2023.110267

Haggerty, K. (2010). Adverse influence of radio frequency background on trembling aspen seedlings: Preliminary observations. *International Journal of Forestry Research, 2010*, Article 836278. https://doi.org/10.1155/2010/836278

Halgamuge, M. N. (2017). Review: Weak radiofrequency radiation exposure from mobile phone radiation on plants. Electromagnetic *Biology and Medicine, 36(*2), 213–235. https://doi.org/10.1080/15368378.2016.1220389

Halgamuge, M. N., & Davis, D. (2019). Lessons learned from the application of machine learning to studies on plant response to radio-frequency. *Environmental Research, 178*, Article 108634. https://doi.org/10.1016/j.envres.2019.108634

Halgamuge, M. N., Yak, S. K., & Eberhardt, J. L. (2015). Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station. *Bioelectromagnetics, 36*(2), 87–95. https://doi.org/10.1002/bem.21890

Kaur, S., Vian, A., Chandel, S., Singh, H. P., Batish, D. R., & Kohli, R. K. (2021). Sensitivity of plants to high frequency electromagnetic radiation: Cellular mechanisms and morphological changes. *Reviews in Environmental Science and Bio/Technology, 20,* 55–74. https://doi.org/10.1007/s11157-020-09563-9

Ozel, H. B., Cetin, M., Sevik, H., Varol, T., Isik, B., & Yaman, B. (2021). The effects of base station as an electromagnetic radiation source on flower and cone yield and germination percentage in Pinus brutia Ten. *Biologia Futura, 72*(3), 359–365.

Pesnya, D. S., & Romanovsky, A. V. (2013). Comparison of cytotoxic and genotoxic effects of plutonium-239 alpha particles and mobile phone GSM 900 radiation in the Allium cepa test. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis, 750*(1–2), 27–33. https://doi.org/10.1016/j.mrgentox.2012.08.010

Pustake, S., Upadhyaya, V., & Bundele, M. (2022). *Study and analysis of 4G–5G spectrum mobile signals on germination seed and further growth.* In 2022 IEEE Pune Section International Conference (PuneCon) (pp. 1–7). IEEE. https://doi.org/10.1109/PuneCon55413.2022.10014737

Sharma, S., Sharma, P., Bahel, S., Singh, J., & Katnoria, J. K. (2023). Comprehensive analysis of genotoxic effects and antioxidative defence mechanisms in plant test system exposed to 1800 MHz electromagnetic radiations: A root chromosomal aberration and FTIR spectroscopy approach. *Toxicology and Environmental Health Sciences, 15*(4), 385–398. https://doi.org/10.1007/s13530-023-00190-9

Soran, M.-L., Stan, M., Niinemets, Ü., & Copolovici, L. (2014). Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants. *Journal of Plant Physiology, 171*(15), 1436–1443. https://doi.org/10.1016/j.jplph.2014.06.013

Stefi, A. L., Margaritis, L. H., & Christodoulakis, N. S. (2016). The effect of the non-ionizing radiation on cultivated plants of Arabidopsis thaliana (Col.). *Flora, 223,* 114–120.

Stefi, A. L., Margaritis, L. H., & Christodoulakis, N. S. (2017). The aftermath of long-term exposure to non-ionizing radiation on laboratory cultivated pine plants (Pinus halepensis M.). *Flora, 234,* 173–186. https://doi.org/10.1016/j.flora.2017.07.016

Stefi, A. L., Vassilacopoulou, D., Margaritis, L. H., & Christodoulakis, N. S. (2018). Oxidative stress and an animal neurotransmitter synthesizing enzyme in the leaves of wild growing myrtle after exposure to GSM radiation. *Flora, 243,* 67–76. https://doi.org/10.1016/j.flora.2018.04.006

Tran, N. T., Jokic, L., Keller, J., Geier, J. U., & Kaldenhoff, R. (2023). Impacts of radio-frequency electromagnetic field (RF-EMF) on lettuce (Lactuca sativa)—Evidence for RF-EMF interference with plant stress responses. *Plants, 12*(5), Article 1082. https://doi.org/10.3390/plants12051082

Vian, A., Davies, E., Gendraud, M., & Bonnet, P. (2016). Plant responses to high frequency electromagnetic fields. *BioMed Research International*, 2016, Article 1830262. https://doi.org/10.1155/2016/1830262

Waldmann-Selsam, C., Balmori-de la Puente, A., Breunig, H., & Balmori, A. (2016). Radiofrequency radiation injures trees around mobile phone base stations. *Science of the Total Environment, 572*, 554–569.

Zhong, Z., Wang, X., Yin, X., Tian, J., & Komatsu, S. (2021). Morphophysiological and proteomic responses on plants of irradiation with electromagnetic waves. *International Journal of Molecular Sciences, 22*(22), Article 12239. https://doi.org/10.3390/ijms222212239

AMPHIBIAN

Balmori, A. (2006). The incidence of electromagnetic pollution on the amphibian decline: Is this an important piece of the puzzle? Toxicological & *Environmental Chemistry, 88*(2), 287–299. https://doi.org/10.1080/02772240600687200

Balmori, A. (2010). Mobile phone mast effects on common frog (Rana temporaria) tadpoles: The city turned into a laboratory. *Electromagnetic Biology and Medicine, 29*(1–2), 31–35. https://doi.org/10.3109/15368371003685363

MARINE

Albert, L., Deschamps, F., Jolivet, A., Olivier, F., Chauvaud, L., & Chauvaud, S. (2020). A current synthesis on the effects of electric and magnetic fields emitted by submarine power cables on invertebrates. *Marine Environmental Research, 159*, Article 104958. https://doi.org/10.1016/j.marenvres.2020.104958

Hutchison, Z. L., Gill, A. B., Sigray, P., He, H., & King, J. W. (2020). Anthropogenic electromagnetic fields (EMF) influence the behaviour of bottom-dwelling marine species. *Scientific Reports, 10*(1), Article 4219. https://doi.org/10.1038/s41598-020-60793-x

Keller, B. A., Putman, N. F., Grubbs, R. D., Portnoy, D. S., & Murphy, T. P. (2021). Map-like use of Earth's magnetic field in sharks. *Current Biology, 31*(13), 2881–2886.e3. https://doi.org/10.1016/j.cub.2021.03.103

Nirwane, A., Sridhar, V., & Majumdar, A. (2016). Neurobehavioural changes and brain oxidative stress induced by acute exposure to GSM900 mobile phone radiations in zebrafish (Danio rerio). *Toxicological Research, 32*(2), 123–132. https://doi.org/10.5487/TR.2016.32.2.123

Oliva, M., De Marchi, L., Cuccaro, A., Fumagalli, G., Freitas, R., Fontana, N., Raugi, M., Barmada, S., & Pretti, C. (2023). Introducing energy into marine environments: A lab-scale static magnetic field submarine cable simulation and its effects on sperm and larval development on a reef forming serpulid. *Environmental Pollution, 328*, Article 121625. https://doi.org/10.1016/j.envpol.2023.121625

Scott, K., Harsanyi, P., Easton, B. A. A., Piper, A. J. R., Rochas, C. M. V., & Lyndon, A. R. (2021). Exposure to electromagnetic fields (EMF) from submarine power cables can trigger strength-dependent behavioural and physiological responses in edible crab, Cancer pagurus (L.). *Journal of Marine Science and Engineering, 9*(7), Article 776. https://doi.org/10.3390/jmse9070776

Tang, L.-S., Qiu, C.-Z., Zhang, H.-Y., & Ren, D.-L. (2023). Effects of 0.4 T, 3.0 T and 9.4 T static magnetic fields on development, behaviour and immune response in zebrafish (Danio rerio). *NeuroImage, 282,* Article 120398. https://doi.org/10.1016/j.neuroimage.2023.120398

Woodruff, D. L., Cullinan, V. I., Copping, A. E., & Marshall, K. E. (2013). *Effects of electromagnetic fields on fish and invertebrates:* Task 2.1.3: Effects on aquatic organisms: Fiscal year 2012 progress report (Report No. PNNL-22154). Pacific Northwest National Laboratory. https://www.pnnl.gov/publications/effects-electromagnetic-fields-fish-and-invertebrates-task-213-effects-aquatic-0

MAMMALS

Akbari, H., Taghavi, L., Eshagh Hossaini, S. K., Gholami Fesharaki, M., & Hajiseyed Mirzahosseini, S. A. (2023). Effects of radio waves on the immune system of an animal model. Trauma Monthly, 28(4). https://www.traumamon.com/article_179532.html

Balmori, A. (2010). The incidence of electromagnetic pollution on wild mammals: A new “poison” with a slow effect on nature? *The Environmentalist, 30,* 90–97.

Bamikole, A. O., Olukayode, O. A., Obajuluwa, T., Pius, O., Ibidun, O. O., Adewale, F. O., & Adeleke, O. O. (2019). Exposure to a 2.5 GHz non-ionizing electromagnetic field alters hematological profiles, biochemical parameters, and induces oxidative stress in male albino rats. *Biomedical and Environmental Sciences, 32*(11), 860–863.

Bodin, R., Seewooruttun, C., Corona, A., Delanaud, S., Pelletier, A., & Villégier, A.-S. (2023). Sex-dependent impact of perinatal 5G electromagnetic field exposure in the adolescent rat behavior. *Environmental Science and Pollution Research, 30,* 113704–113717. https://doi.org/10.1007/s11356-023-30256-7

Cantürk Tan, F., Yalçin, B., Yay, A. H., Tan, B., Yeğin, K., & Daşdağ, S. (2022). Effects of pre and postnatal 2450 MHz continuous wave (CW) radiofrequency radiation on thymus: Four generation exposure. *Electromagnetic Biology and Medicine, 4*1(3), 315–324.

Çelik, Ö., Kahya, M. C., & Nazıroğlu, M. (2016). Oxidative stress of brain and liver is increased by Wi-Fi (2.45 GHz) exposure of rats during pregnancy and the development of newborns. *Journal of Chemical Neuroanatomy, 75*(Pt. B), 134–139.

Falcioni, L., Bua, L., Tibaldi, E., Lauriola, M., De Angelis, L., Gnudi, F., Mandrioli, D., Manservigi, M., Manservisi, F., Manzoli, I., Menghetti, I., Montella, R., Panzacchi, S., Sgargi, D., Strollo, V., Vornoli, A., & Belpoggi, F. (2018). Report of final results regarding brain and heart tumors in Sprague-Dawley rats exposed from prenatal life until natural death to mobile phone radiofrequency field representative of a 1.8 GHz GSM base station environmental emission. *Environmental Research, 165,* 496–503.

Hardell, L., & Carlberg, M. (2019). Comments on the US National Toxicology Program technical reports on toxicology and carcinogenesis study in rats exposed to whole-body radiofrequency radiation at 900 MHz and in mice exposed to whole-body radiofrequency radiation at 1,900 MHz. *International Journal of Oncology, 54*(1), 111–127.

Ibitayo, A. O., Afolabi, O. B., Akinyemi, A. J., Ojiezeh, T. I., Adekoya, K. O., & Ojewunmi, O. O. (2017). RAPD profiling, DNA fragmentation, and histomorphometric examination in brains of Wistar rats exposed to indoor 2.5 GHz Wi-Fi devices radiation. *BioMed Research International, 2017,* Article 8653286.

Kuybulu, A. E., Öktem, F., Çiriş, İ. M., Sutcu, R., Örmeci, A. R., Çömlekçi, S., & Uz, E. (2016). Effects of long-term pre- and post-natal exposure to 2.45 GHz wireless devices on developing male rat kidney. *Renal Failure, 38*(4), 571–580.

Lerchl, A., Klose, M., Grote, K., Wilhelm, A. F. X., Spathmann, O., Fiedler, T., Streckert, J., Hansen, V., & Clemens, M. (2015). Tumor promotion by exposure to radiofrequency electromagnetic fields below exposure limits for humans. *Biochemical and Biophysical Research Communications, 459*(4), 585–590. https://doi.org/10.1016/j.bbrc.2015.02.151

Magras, I. N., & Xenos, T. D. (1997). RF radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics, 18*(6), 455–461. https://doi.org/10.1002/(SICI)1521-186X(1997)18:63.0.CO;2-1

National Toxicology Program. (2018a). Toxicology and carcinogenesis studies in Sprague Dawley rats exposed to whole-body radio frequency radiation at 900 MHz and modulations used by cell phones. NTP Technical Report 595. https://doi.org/10.22427/NTP-TR-595

Saili, L., Hanini, A., Smirani, C., Azzouz, I., Azzouz, A., Sakly, M., Abdelmelek, H., & Bouslama, Z. (2015). Effects of acute exposure to WIFI signals (2.45 GHz) on heart variability and blood pressure in albinos rabbit. *Environmental Toxicology and Pharmacology, 40*(2), 600–605. https://doi.org/10.1016/j.etap.2015.08.015

Sangun, O., Dundar, B., Darici, H., Comlekci, S., Doguc, D. K., & Celik, S. (2015). The effects of long-term exposure to a 2450 MHz electromagnetic field on growth and pubertal development in female Wistar rats. *Electromagnetic Biology and Medicine, 34*(1), 63–71. https://doi.org/10.3109/15368378.2013.871619

Smith-Roe, S. L., Wyde, M. E., Stout, M. D., Winters, J. W., Hobbs, C. A., Shepard, K. G., Green, A. S., Kissling, G. E., Shockley, K. R., Tice, R. R., Bucher, J. R., & Witt, K. L. (2020). Evaluation of the genotoxicity of cell phone radiofrequency radiation in male and female rats and mice following subchronic exposure. *Environmental and Molecular Mutagenesis, 61*(2), 276–290.

Souffi, S., Lameth, J., Gaucher, Q., Arnaud-Cormos, D., Lévêque, P., Edeline, J.-M., & Mallat, M. (2022). Exposure to 1800 MHz LTE electromagnetic fields under proinflammatory conditions decreases the response strength and increases the acoustic threshold of auditory cortical neurons. *Scientific Reports, 12*(1), Article 4063. https://doi.org/10.1038/s41598-022-07923-9